



## Features

- Under Stencil Rolls for FUJI Printers
- Prevents smearing, bridging, solder balls, and other problems associated with the stencil printing of solder paste
- Manufactured from a blend of polyester and cellulose fibers
- More paper per roll resulting in less down time, less changeover time, and less inventory required
- Exceptionally low lint levels
- Solvent resistant material results in increased absorption per square inch

## FUJI Paper Specifications

Test	Orientation	Units	Value	Method
Composition			54% Wood Pulp 46% Polyester White	
Basis Weight		oz/yd <sub>2</sub> g/m <sub>2</sub>	1.5 50.8	ASTM D3776
Thickness		mils mm	12 .30	ASTM D1777
Grab Tensile Strength	Machine Direction	lb N	28 125	ASTM D5034
	Cross Direction	lb N	16 71	

### Dimensional Tolerances:

Core Length:  $\pm 1/16$ "  
 Paper Width:  $\pm 1/8$ "  
 Core ID:  $+ 1/8$ "  
 Paper Length:  $\pm 5\%$

## FUJI Stencil Roll Part Number

Part Number	Core Type	Core Length	Paper Width	Core ID	Paper Length
EB41F1919	Paper	19.50"	19.50"	1.0"	33'

EasyBraid expressly warrants that for a period of one (1) year from the date of purchase, EasyBraid products will be free of defects in material (parts) and workmanship (labor). Within the warranty period, a unit/product will be tested, repaired or replaced at EasyBraid's option, free of charge.

Specifications and procedures subject to change without notice.

## FUJI STENCIL ROLLS

11543 K-TEL DRIVE, MINNETONKA, MN 55343  
 MIDWEST: (952) 929-3040 | WEST: (909) 627-2453  
 WEBSITE: [EASYBRAIDCO.COM](http://EASYBRAIDCO.COM)

**DRAWING  
NUMBER**  
FUJI

**DATE:**  
May  
2018

# EasyBraid